



Idma Laboratories Limited




TEST REPORT

Lab No.	010524L-ED-001/A			Page No. 1/2	
Customer#	Re Sustainability Limited (Unit: Punjab Waste Management Project) Village: Nimbua, P.O. Rampur Sainia Tehsil Derabassi, Distt. Mohali (Pb) Punjab				
Type of Sample#	Ambient Air				
Customer's Description of Sample#	Ambient Air				
Quantity#	1 No				
Packing, Markings#	Filter Paper Packed in Polythene Pouch				
Mode of Collection of Sample	Sampling by Laboratories				
Work Order No.#	0400111032	Dated	26/04/2024		
Date of Receipt of Sample	01/05/2024				
Period of Analysis	01/05/2024 To 08/05/2024				
Sampling Team	Idma Representative Team	Client	Mr Sanjeev Sharma		
Sampling Location#	Near Main Gate				
Visual Observation	N/A				
Date of Sampling	30/04/2024				
Date of Reporting	08/05/2024				
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013				
Testing Protocol	NAAQS				

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m³	73.8	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m³	32.7	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m³	18.1	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m³	20.6	Max. 80	IS 5182 (Part 6)
5	NH3	µg/m³	24.1	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m³	21.8	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m³	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m³	<8	Max. 20	EPA/625/R-96/010a



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the Invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TC-8207

TEST REPORT

Lab No. 010524L-ED-001/A					Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method
9	Lead	µg/m³	0.12	Max. 1.0	EPA/625/R-96/010a

Represents details provided by the customer.

End of Report



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TEST REPORT


Lab No.	010524L-ED-001/B		Page No. 1/1
Customer#	Re Sustainability Limited (Unit: Punjab Waste Management Project) Village: Nimbua, P.O. Rampur Sainia Tehsil Derabassi, Distt. Mohali (Pb) Punjab		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	1 No		
Packing, Markings#	Filter Paper Packed in Polythene Pouch		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	0400111032	Dated	26/04/2024
Date of Receipt of Sample	01/05/2024		
Period of Analysis	01/05/2024 To 08/05/2024		
Sampling Team	Idma Representative Team	Client	Mr Sanjeev Sharma
Sampling Location#	Near Main Gate		
Visual Observation	N/A		
Date of Sampling	30/04/2024		
Date of Reporting	08/05/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m ³	0.53	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m ³	2.09	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m ³	<0.9	Max. 01	IS 5182 (Part 12)

Represents details provided by the customer.

End of Report



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TC-8207

TEST REPORT

Lab No.	010524L-ED-002/A			Page No. 1/2	
Customer#	Re Sustainability Limited (Unit: Punjab Waste Management Project) Village: Nimbua, P.O. Rampur Sainia Tehsil Derabassi, Distt. Mohali (Pb) Punjab				
Type of Sample#	Ambient Air				
Customer's Description of Sample#	Ambient Air				
Quantity#	1 No				
Packing, Markings#	Filter Paper Packed in Polythene Pouch				
Mode of Collection of Sample	Sampling by Laboratories				
Work Order No.#	0400111032	Dated	26/04/2024		
Date of Receipt of Sample	01/05/2024				
Period of Analysis	01/05/2024 To 08/05/2024				
Sampling Team	Idma Representative Team	Client	Mr Sanjeev Sharma		
Sampling Location#	Near DG Room				
Visual Observation	N/A				
Date of Sampling	30/04/2024				
Date of Reporting	08/05/2024				
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013				
Testing Protocol	NAAQS				

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m³	68.2	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m³	33.8	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m³	17.2	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m³	19.3	Max. 80	IS 5182 (Part 6)
5	NH3	µg/m³	22.7	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m³	23.4	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m³	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m³	<8	Max. 20	EPA/625/R-96/010a

Reviewed by
Dipti Jain
Asst. Tech. Manager
Panchkula

Authorised signatory
Kartar Singh
Tech. Mgr.
Panchkula

Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TEST REPORT

Lab No.		010524L-ED-002/A				Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method	
9	Lead	µg/m³	0.13	Max. 1.0	EPA/625/R-96/010a	

Represents details provided by the customer.

End of Report



Authorised signatory



Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TEST REPORT


Lab No.	010524L-ED-002/B		Page No. 1/1
Customer#	Re Sustainability Limited (Unit: Punjab Waste Management Project) Village: Nimbua, P.O. Rampur Sainia Tehsil Derabassi, Distt. Mohali (Pb) Punjab		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	1 No		
Packing, Markings#	Filter Paper Packed in Polythene Pouch		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	0400111032	Dated	26/04/2024
Date of Receipt of Sample	01/05/2024		
Period of Analysis	01/05/2024 To 08/05/2024		
Sampling Team	Idma Representative Team	Client	Mr Sanjeev Sharma
Sampling Location#	Near DG Room		
Visual Observation	N/A		
Date of Sampling	30/04/2024		
Date of Reporting	08/05/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m ³	0.49	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m ³	2.41	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m ³	<0.9	Max. 01	IS 5182 (Part 12)

Represents details provided by the customer.

End of Report



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited




TC-8207

TEST REPORT

Lab No.	010524L-ED-003/A		Page No. 1/2
Customer#	Re Sustainability Limited (Unit: Punjab Waste Management Project) Village: Nimbua, P.O. Rampur Sainia Tehsil Derabassi, Distt. Mohali (Pb) Punjab		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	1 No		
Packing, Markings#	Filter Paper Packed in Polythene Pouch		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	0400111032	Dated	26/04/2024
Date of Receipt of Sample	01/05/2024		
Period of Analysis	01/05/2024 To 08/05/2024		
Sampling Team	Idma Representative Team	Client	Mr Sanjeev Sharma
Sampling Location#	Near MEE Plant Back Side		
Visual Observation	N/A		
Date of Sampling	30/04/2024		
Date of Reporting	08/05/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m³	72.9	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m³	32.7	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m³	15.4	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m³	19.7	Max. 80	IS 5182 (Part 6)
5	NH3	µg/m³	23.1	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m³	21.5	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m³	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m³	<8	Max. 20	EPA/625/R-96/010a



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TEST REPORT

Lab No.		010524L-ED-003/A			Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method
9	Lead	µg/m³	0.11	Max. 1.0	EPA/625/R-96/010a

Represents details provided by the customer.

End of Report

Reviewed by *08/08/24*



Authorised signatory



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TEST REPORT

Lab No.	010524L-ED-003/B		Page No. 1/1
Customer#	Re Sustainability Limited (Unit: Punjab Waste Management Project) Village: Nimbua, P.O. Rampur Sainia Tehsil Derabassi, Distt. Mohali (Pb) Punjab		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	1 No		
Packing, Markings#	Filter Paper Packed in Polythene Pouch.		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	0400111032	Dated	26/04/2024
Date of Receipt of Sample	01/05/2024		
Period of Analysis	01/05/2024 To 08/05/2024		
Sampling Team	Idma Representative Team	Client	Mr Sanjeev Sharma
Sampling Location#	Near MEE Plant Back Side		
Visual Observation	N/A		
Date of Sampling	30/04/2024		
Date of Reporting	08/05/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m ³	0.39	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m ³	2.08	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m ³	<0.9	Max. 01	IS 5182 (Part 12)

Represents details provided by the customer.

End of Report



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited




TC-8207

TEST REPORT

Lab No.	010524L-ED-004/A			Page No. 1/2
Customer#	Re Sustainability Limited (Unit: Punjab Waste Management Project) Village: Nimbua, P.O. Rampur Sainia Tehsil Derabassi, Distt. Mohali (Pb) Punjab			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	1 No			
Packing, Markings#	Filter Paper Packed in Polythene Pouch			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	0400111032	Dated	26/04/2024	
Date of Receipt of Sample	01/05/2024			
Period of Analysis	01/05/2024 To 08/05/2024			
Sampling Team	Idma Representative Team	Client	Mr Sanjeev Sharma	
Sampling Location#	Near Incinerator Plant			
Visual Observation	N/A			
Date of Sampling	30/04/2024			
Date of Reporting	08/05/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m³	75.2	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m³	38.1	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m³	18.6	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m³	20.4	Max. 80	IS 5182 (Part 6)
5	NH3	µg/m³	24.1	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m³	21.6	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m³	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m³	<8	Max. 20	EPA/625/R-96/010a



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827,- 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TC-8207

TEST REPORT

Lab No.		010524L-ED-004/A				Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method	
9	Lead	µg/m³	0.14	Max. 1.0	EPA/625/R-96/010a	

Represents details provided by the customer.

End of Report

Reviewed by *[Signature]*
05/05/24



Authorised Signatory



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TEST REPORT


Lab No.	010524L-ED-004/B		Page No. 1/1
Customer#	Re Sustainability Limited (Unit: Punjab Waste Management Project) Village: Nimbua, P.O. Rampur Sainia Tehsil Derabassi, Distt. Mohali (Pb) Punjab		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	1 No		
Packing, Markings#	Filter Paper Packed in Polythene Pouch		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	0400111032	Dated	26/04/2024
Date of Receipt of Sample	01/05/2024		
Period of Analysis	01/05/2024 To 08/05/2024		
Sampling Team	Idma Representative Team	Client	Mr Sanjeev Sharma
Sampling Location#	Near Incinerator Plant		
Visual Observation	N/A		
Date of Sampling	30/04/2024		
Date of Reporting	08/05/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m ³	0.42	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m ³	2.14	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m ³	<0.9	Max. 01	IS 5182 (Part 12)

Represents details provided by the customer.

End of Report



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830