



## TEST REPORT

Report No.: GECPL/AA-202605/02		Date: 26/05/2026	
ULR No.: TC1375726200003997F			
Name & Address of Customer	:	<b>Re Sustainability Limited</b> Village-Nimbua, Tehsil-Derabass, District-Mohali, Punjab, 140507, India	
Contact Person	:	-	
Sample Collection Date	:	19/05/2026 to 20/05/2026	Sampling Type : NA
Sample Receipt Date	:	21/05/2026	Sample ID : AA-202605/02
Sampling Location	:	Near Main Gate	Sample Description : Ambient Air
Sample Collected / Submitted by	:	GECPL Team	Protocol used for monitoring : IS 5182(Part-14): 2019
Quantity / No. of Sample	:	2 Filter paper, (Pm <sub>10</sub> , Pm <sub>2.5</sub> ) 1 SO <sub>2</sub> ×30 mL, 1 NO <sub>2</sub> ×30 mL, 1 Tedlar Bag	Analysis Started On : 21/05/2026
Packing / Seal	:	Temp. Sealed	Analysis Completed On : 26/05/2026
Type of Container	:	Plastic Container	Format No. : 7.8 F-05
Meteorological Condition During Monitoring		25°C ±2 °C	

### Ambient Air Analysis Results

Sr. No.	Parameter	Result	Unit	Protocol used for Analysis	NAAQS
1	Particulate Matters (PM <sub>10</sub> )	97.63	µg/m <sup>3</sup>	IS 5182 (Part 23) 2022	100(Max.)
2	Particulate Matters ( PM <sub>2.5</sub> )	56.42	µg/m <sup>3</sup>	IS 5182 (Part 24) 2024	60(Max.)
3	Sulphur Dioxide as (SO <sub>2</sub> )	12.59	µg/m <sup>3</sup>	IS 5182 (Part 2) 2023	80(Max.)
4	Nitrogen Dioxide as (NO <sub>2</sub> )	39.62	µg/m <sup>3</sup>	IS 5182 (Part 6) 2022	80(Max.)
5	Carbon Monoxide as (CO)	1.23	mg/m <sup>3</sup>	IS 5182 (Part 10) 2022	4.0(Max.)
6	Ammonia as ( NH <sub>3</sub> )	67.52	µg/m <sup>3</sup>	IS 5182 (Part 25) 2018	400(Max.)
7	Ozone as ( O <sub>3</sub> )	46.32	µg/m <sup>3</sup>	IS 5182 (Part 9) 2019	180(Max.)
8	Benzo(a)pyrene	BLQ [<0.5]	ng/m <sup>3</sup>	IS 5182 (Part 12) 2019	1.0(Max.)
9	Benzene as (C <sub>6</sub> H <sub>6</sub> )	BLQ [<1.0]	µg/m <sup>3</sup>	IS 5182 (Part 11) 2006	5.0(Max.)

**Remarks:** Sampling done by GECPL representative

**BLQ:** Below Limit of Quantification

Limits as per National Ambient Air Quality Standards (NAAQS) with Respect to Above Tested Parameters.

  
**Reviewed By**  
**Dr. Rama Srivastava**  
**(Technical Manager )**

  
**Verified By & Authorized Signatory**  
**Mr. Neeraj Kumar Yadav**  
**(Quality Manager)**



## TEST REPORT

Report No.: GECPL/AA-202605/02		Date: 26/05/2026	
Name & Address of Customer	: <b>Re Sustainability Limited</b> Village-Nimbua, Tehsil-Derabass, District-Mohali, Punjab, 140507, India		
Contact Person	: -		
Sample Collection Date	: 19/05/2026 to 20/05/2026	Sampling Type	: NA
Sample Receipt Date	: 21/05/2026	Sample ID	: AA-202605/02
Sampling Location	: Near Main Gate	Sample Description	: Ambient Air
Sample Collected / Submitted by	: GECPL Team	Protocol used for monitoring	: IS 5182(Part-14): 2019
Quantity / No. of Sample	: 2 Filter paper, (Pm <sub>10</sub> , Pm <sub>2.5</sub> ) 1 SO <sub>2</sub> ×30 mL, 1 NO <sub>2</sub> ×30 mL, 1 Tedlar Bag	Analysis Started On	: 21/05/2026
Packing / Seal	: Temp. Sealed	Analysis Completed On	: 26/05/2026
Type of Container	: Plastic Container	Format No.	: 7.8 F-05
Meteorological Condition During Monitoring		25°C ±2 °C	

### Ambient Air Analysis Results

Sr. No.	Parameter	Result	Unit	Protocol used for Analysis	NAAQS
10	Arsenic (As)	BLQ [<0.5]	ng/m <sup>3</sup>	NAAQS Analysis Guidelines Volume-I, AAS Method	6.0(Max.)
11	Nickel (Ni)	BLQ [<0.5]	ng/m <sup>3</sup>	IS 5182 : Part 26 : 2020	20(Max.)
12	Lead (Pb)	BLQ [<0.0005]	µg/m <sup>3</sup>	IS 5182 : Part 22 : 2019	1.0(Max.)

**Remarks:** Sampling done by GECPL representative

**BLQ:** Below Limit of Quantification

Limits as per National Ambient Air Quality Standards (NAAQS) with Respect to Above Tested Parameters.

-----End Report-----

**Reviewed By**  
**Dr. Rama Srivastava**  
**(Technical Manager)**



**Verified By & Authorized Signatory**  
**Mr. Neeraj Kumar Yadav**  
**(Quality Manager)**

This Report is issued under the following terms & Condition:

- Samples are not drawn by Gurukripa Enviro Care Private Limited, unless otherwise mentioned. The results relate only to the above tested sample and applicable Parameters.
- The test report in full or part shall not be used for promotional or publicity purposes without the written consent of Gurukripa Enviro Care Private Limited.
- Samples shall be stored for the period of 15 days after the date of issue of Report.



## TEST REPORT

Report No.: GECPL/AA-202605/03		Date: 26/05/2026	
ULR No.: TC1375726200003998F			
Name & Address of Customer	:	<b>Re Sustainability Limited</b> Village-Nimbua, Tehsil-Derabass, District-Mohali, Punjab, 140507. India	
Contact Person	:	-	
Sample Collection Date	:	19/05/2026 to 20/05/2026	Sampling Type : NA
Sample Receipt Date	:	21/05/2026	Sample ID : AA-202605/03
Sampling Location	:	Near DG Room	Sample Description : Ambient Air
Sample Collected / Submitted by	:	GECPL Team	Protocol used for monitoring : IS 5182(Part-14): 2019
Quantity / No. of Sample	:	2 Filter paper, (Pm <sub>10</sub> , Pm <sub>2.5</sub> ) 1 SO <sub>2</sub> ×30 mL, 1 NO <sub>2</sub> ×30 mL, 1 Tedlar Bag	Analysis Started On : 21/05/2026
Packing / Seal	:	Temp. Sealed	Analysis Completed On : 26/05/2026
Type of Container	:	Plastic Container	Format No. : 7.8 F-05
Meteorological Condition During Monitoring		25°C ±2 °C	

### Ambient Air Analysis Results

Sr. No.	Parameter	Result	Unit	Protocol used for Analysis	NAAQS
1	Particulate Matters (PM <sub>10</sub> )	91.32	µg/m <sup>3</sup>	IS 5182 (Part 23) 2022	100(Max.)
2	Particulate Matters ( PM <sub>2.5</sub> )	54.95	µg/m <sup>3</sup>	IS 5182 (Part 24) 2024	60(Max.)
3	Sulphur Dioxide as (SO <sub>2</sub> )	10.43	µg/m <sup>3</sup>	IS 5182 (Part 2) 2023	80(Max.)
4	Nitrogen Dioxide as (NO <sub>2</sub> )	41.03	µg/m <sup>3</sup>	IS 5182 (Part 6) 2022	80(Max.)
5	Carbon Monoxide as (CO)	1.04	mg/m <sup>3</sup>	IS 5182 (Part 10) 2022	4.0(Max.)
6	Ammonia as ( NH <sub>3</sub> )	72.13	µg/m <sup>3</sup>	IS 5182 (Part 25) 2018	400(Max.)
7	Ozone as ( O <sub>3</sub> )	43.69	µg/m <sup>3</sup>	IS 5182 (Part 9) 2019	180(Max.)
8	Benzo(a)pyrene	BLQ [<0.5]	ng/m <sup>3</sup>	IS 5182 (Part 12) 2019	1.0(Max.)
9	Benzene as (C <sub>6</sub> H <sub>6</sub> )	BLQ [<1.0]	µg/m <sup>3</sup>	IS 5182 (Part 11) 2006	5.0(Max.)

**Remarks:** Sampling done by GECPL representative

**BLQ:** Below Limit of Quantification

Limits as per National Ambient Air Quality Standards (NAAQS) with Respect to Above Tested Parameters.

  
**Reviewed By**  
**Dr. Rama Srivastava**  
**(Technical Manager )**

  
**Verified By & Authorized Signatory**  
**Mr. Neeraj Kumar Yadav**  
**(Quality Manager)**



## TEST REPORT

Report No.: GECPL/AA-202605/03		Date: 26/05/2026	
Name & Address of Customer	: <b>Re Sustainability Limited</b> Village-Nimbua, Tehsil-Derabass, District-Mohali, Punjab, 140507. India		
Contact Person	: -		
Sample Collection Date	: 19/05/2026 to 20/05/2026	Sampling Type	: NA
Sample Receipt Date	: 21/05/2026	Sample ID	: AA-202605/03
Sampling Location	: Near DG Room	Sample Description	: Ambient Air
Sample Collected / Submitted by	: GECPL Team	Protocol used for monitoring	: IS 5182(Part-14): 2019
Quantity / No. of Sample	: 2 Filter paper, (Pm <sub>10</sub> , Pm <sub>2.5</sub> ) 1 SO <sub>2</sub> ×30 mL, 1 NO <sub>2</sub> ×30 mL, 1 Tedlar Bag	Analysis Started On	: 21/05/2026
Packing / Seal	: Temp. Sealed	Analysis Completed On	: 26/05/2026
Type of Container	: Plastic Container	Format No.	: 7.8 F-05
Meteorological Condition During Monitoring		25°C ±2 °C	

### Ambient Air Analysis Results

Sr. No.	Parameter	Result	Unit	Protocol used for Analysis	NAAQS
10	Arsenic (As)	BLQ [<0.5]	ng/m <sup>3</sup>	NAAQS Analysis Guidelines Volume-I, AAS Method	6.0(Max.)
11	Nickel (Ni)	BLQ [<0.5]	ng/m <sup>3</sup>	IS 5182 : Part 26 : 2020	20(Max.)
12	Lead (Pb)	BLQ [<0.0005]	µg/m <sup>3</sup>	IS 5182 : Part 22 : 2019	1.0(Max.)

**Remarks:** Sampling done by GECPL representative

**BLQ:** Below Limit of Quantification

Limits as per National Ambient Air Quality Standards (NAAQS) with Respect to Above Tested Parameters.

-----End Report-----

**Reviewed By**  
**Dr. Rama Srivastava**  
**(Technical Manager)**



**Verified By & Authorized Signatory**  
**Mr. Neeraj Kumar Yadav**  
**(Quality Manager)**

This Report is issued under the following terms & Condition:

- Samples are not drawn by Gurukripa Enviro Care Private Limited, unless otherwise mentioned. The results relate only to the above tested sample and applicable Parameters.
- The test report in full or part shall not be used for promotional or publicity purposes without the written consent of Gurukripa Enviro Care Private Limited.
- Samples shall be stored for the period of 15 days after the date of issue of Report.



**TEST REPORT**

Report No.: GECPL/AA-202605/04		Date: 26/05/2026	
ULR No.: TC1375726200003999F			
Name & Address of Customer	:	<b>Re Sustainability Limited</b> Village-Nimbua, Tehsil-Derabass, District-Mohali, Punjab, 140507. India	
Contact Person	:	-	
Sample Collection Date	:	19/05/2026 to 20/05/2026	Sampling Type : NA
Sample Receipt Date	:	21/05/2026	Sample ID : AA-202605/04
Sampling Location	:	Near INC Area	Sample Description : Ambient Air
Sample Collected / Submitted by	:	GECPL Team	Protocol used for monitoring : IS 5182(Part-14): 2019
Quantity / No. of Sample	:	2 Filter paper, (Pm <sub>10</sub> , Pm <sub>2.5</sub> ) 1 SO <sub>2</sub> ×30 mL, 1 NO <sub>2</sub> ×30 mL, 1 Tedlar Bag	Analysis Started On : 21/05/2026
Packing / Seal	:	Temp. Sealed	Analysis Completed On : 26/05/2026
Type of Container	:	Plastic Container	Format No. : 7.8 F-05
Meteorological Condition During Monitoring		25°C ±2 °C	

**Ambient Air Analysis Results**

Sr. No.	Parameter	Result	Unit	Protocol used for Analysis	NAAQS
1	Particulate Matters (PM <sub>10</sub> )	96.32	µg/m <sup>3</sup>	IS 5182 (Part 23) 2022	100(Max.)
2	Particulate Matters ( PM <sub>2.5</sub> )	53.52	µg/m <sup>3</sup>	IS 5182 (Part 24) 2024	60(Max.)
3	Sulphur Dioxide as (SO <sub>2</sub> )	12.36	µg/m <sup>3</sup>	IS 5182 (Part 2) 2023	80(Max.)
4	Nitrogen Dioxide as (NO <sub>2</sub> )	42.39	µg/m <sup>3</sup>	IS 5182 (Part 6) 2022	80(Max.)
5	Carbon Monoxide as (CO)	1.05	mg/m <sup>3</sup>	IS 5182 (Part 10) 2022	4.0(Max.)
6	Ammonia as ( NH <sub>3</sub> )	75.32	µg/m <sup>3</sup>	IS 5182 (Part 25) 2018	400(Max.)
7	Ozone as ( O <sub>3</sub> )	51.43	µg/m <sup>3</sup>	IS 5182 (Part 9) 2019	180(Max.)
8	Benzo(a)pyrene	BLQ [<0.5]	ng/m <sup>3</sup>	IS 5182 (Part 12) 2019	1.0(Max.)
9	Benzene as (C <sub>6</sub> H <sub>6</sub> )	BLQ [<1.0]	µg/m <sup>3</sup>	IS 5182 (Part 11) 2006	5.0(Max.)

**Remarks:** Sampling done by GECPL representative

**BLQ:** Below Limit of Quantification

Limits as per National Ambient Air Quality Standards (NAAQS) with Respect to Above Tested Parameters.

**Reviewed By**  
**Dr. Rama Srivastava**  
(Technical Manager )



**Verified By & Authorized Signatory**  
**Mr. Neeraj Kumar Yadav**  
(Quality Manager)



## TEST REPORT

Report No.: GECPL/AA-202605/04		Date: 26/05/2026	
Name & Address of Customer	: <b>Re Sustainability Limited</b> Village-Nimbua, Tehsil-Derabass, District-Mohali, Punjab, 140507. India		
Contact Person	: -		
Sample Collection Date	: 19/05/2026 to 20/05/2026	Sampling Type	: NA
Sample Receipt Date	: 21/05/2026	Sample ID	: AA-202605/04
Sampling Location	: Near INC Area	Sample Description	: Ambient Air
Sample Collected / Submitted by	: GECPL Team	Protocol used for monitoring	: IS 5182(Part-14): 2019
Quantity / No. of Sample	: 2 Filter paper, (Pm <sub>10</sub> , Pm <sub>2.5</sub> ) 1 SO <sub>2</sub> ×30 mL, 1 NO <sub>2</sub> ×30 mL, 1 Tedlar Bag	Analysis Started On	: 21/05/2026
Packing / Seal	: Temp. Sealed	Analysis Completed On	: 26/05/2026
Type of Container	: Plastic Container	Format No.	: 7.8 F-05
Meteorological Condition During Monitoring		25°C ±2 °C	

### Ambient Air Analysis Results

Sr. No.	Parameter	Result	Unit	Protocol used for Analysis	NAAQS
10	Arsenic (As)	BLQ [<0.5]	ng/m <sup>3</sup>	NAAQS Analysis Guidelines Volume-I, AAS Method	6.0(Max.)
11	Nickel (Ni)	BLQ [<0.5]	ng/m <sup>3</sup>	IS 5182 : Part 26 : 2020	20(Max.)
12	Lead (Pb)	BLQ [<0.0005]	µg/m <sup>3</sup>	IS 5182 : Part 22 : 2019	1.0(Max.)

**Remarks:** Sampling done by GECPL representative

**BLQ:** Below Limit of Quantification

Limits as per National Ambient Air Quality Standards (NAAQS) with Respect to Above Tested Parameters.

-----End Report-----

**Reviewed By**  
**Dr. Rama Srivastava**  
**(Technical Manager)**



**Verified By & Authorized Signatory**  
**Mr. Neeraj Kumar Yadav**  
**(Quality Manager)**

This Report is issued under the following terms & Condition:

- Samples are not drawn by Gurukripa Enviro Care Private Limited, unless otherwise mentioned. The results relate only to the above tested sample and applicable Parameters.
- The test report in full or part shall not be used for promotional or publicity purposes without the written consent of Gurukripa Enviro Care Private Limited.
- Samples shall be stored for the period of 15 days after the date of issue of Report.



## TEST REPORT

Report No.: GECPL/AA-202605/05		Date: 26/05/2026	
ULR No.: TC1375726200004000F			
Name & Address of Customer	:	<b>Re Sustainability Limited</b> Village-Nimbua, Tehsil-Derabass, District-Mohali, Punjab, 140507. India	
Contact Person	:	-	
Sample Collection Date	:	19/05/2026 to 20/05/2026	Sampling Type : NA
Sample Receipt Date	:	21/05/2026	Sample ID : AA-202605/05
Sampling Location	:	Near MEE Plant Area	Sample Description : Ambient Air
Sample Collected / Submitted by	:	GECPL Team	Protocol used for monitoring : IS 5182(Part-14): 2019
Quantity / No. of Sample	:	2 Filter paper, (Pm <sub>10</sub> , Pm <sub>2.5</sub> ) 1 SO <sub>2</sub> ×30 mL, 1 NO <sub>2</sub> ×30 mL, 1 Tedlar Bag	Analysis Started On : 21/05/2026
Packing / Seal	:	Temp. Sealed	Analysis Completed On : 26/05/2026
Type of Container	:	Plastic Container	Format No. : 7.8 F-05
Meteorological Condition During Monitoring		25°C ±2 °C	

### Ambient Air Analysis Results

Sr. No.	Parameter	Result	Unit	Protocol used for Analysis	NAAQS
1	Particulate Matters (PM <sub>10</sub> )	90.85	µg/m <sup>3</sup>	IS 5182 (Part 23) 2022	100(Max.)
2	Particulate Matters ( PM <sub>2.5</sub> )	55.34	µg/m <sup>3</sup>	IS 5182 (Part 24) 2024	60(Max.)
3	Sulphur Dioxide as (SO <sub>2</sub> )	13.62	µg/m <sup>3</sup>	IS 5182 (Part 2) 2023	80(Max.)
4	Nitrogen Dioxide as (NO <sub>2</sub> )	46.12	µg/m <sup>3</sup>	IS 5182 (Part 6) 2022	80(Max.)
5	Carbon Monoxide as (CO)	1.04	mg/m <sup>3</sup>	IS 5182 (Part 10) 2022	4.0(Max.)
6	Ammonia as ( NH <sub>3</sub> )	73.62	µg/m <sup>3</sup>	IS 5182 (Part 25) 2018	400(Max.)
7	Ozone as ( O <sub>3</sub> )	53.21	µg/m <sup>3</sup>	IS 5182 (Part 9) 2019	180(Max.)
8	Benzo(a)pyrene	BLQ [<0.5]	ng/m <sup>3</sup>	IS 5182 (Part 12) 2019	1.0(Max.)
9	Benzene as (C <sub>6</sub> H <sub>6</sub> )	BLQ [<1.0]	µg/m <sup>3</sup>	IS 5182 (Part 11) 2006	5.0(Max.)

**Remarks:** Sampling done by GECPL representative

**BLQ:** Below Limit of Quantification

Limits as per National Ambient Air Quality Standards (NAAQS) with Respect to Above Tested Parameters.

  
**Reviewed By**  
**Dr. Rama Srivastava**  
**(Technical Manager )**

  
**Verified By & Authorized Signatory**  
**Mr. Neeraj Kumar Yadav**  
**(Quality Manager)**



## TEST REPORT

Report No.: GECPL/AA-202605/05		Date: 26/05/2026	
Name & Address of Customer	: <b>Re Sustainability Limited</b> Village-Nimbua, Tehsil-Derabass, District-Mohali, Punjab, 140507. India		
Contact Person	: -		
Sample Collection Date	: 19/05/2026 to 20/05/2026	Sampling Type	: NA
Sample Receipt Date	: 21/05/2026	Sample ID	: AA-202605/05
Sampling Location	: Near MEE Plant Area	Sample Description	: Ambient Air
Sample Collected / Submitted by	: GECPL Team	Protocol used for monitoring	: IS 5182(Part-14): 2019
Quantity / No. of Sample	: 2 Filter paper, (Pm <sub>10</sub> , Pm <sub>2.5</sub> ) 1 SO <sub>2</sub> ×30 mL, 1 NO <sub>2</sub> ×30 mL, 1 Tedlar Bag	Analysis Started On	: 21/05/2026
Packing / Seal	: Temp. Sealed	Analysis Completed On	: 26/05/2026
Type of Container	: Plastic Container	Format No.	: 7.8 F-05
Meteorological Condition During Monitoring		25°C ±2 °C	

### Ambient Air Analysis Results

Sr. No.	Parameter	Result	Unit	Protocol used for Analysis	NAAQS
10	Arsenic (As)	BLQ [<0.5]	ng/m <sup>3</sup>	NAAQS Analysis Guidelines Volume-I, AAS Method	6.0(Max.)
11	Nickel (Ni)	BLQ [<0.5]	ng/m <sup>3</sup>	IS 5182 : Part 26 : 2020	20(Max.)
12	Lead (Pb)	BLQ [<0.0005]	µg/m <sup>3</sup>	IS 5182 : Part 22 : 2019	1.0(Max.)

**Remarks:** Sampling done by GECPL representative

**BLQ:** Below Limit of Quantification

Limits as per National Ambient Air Quality Standards (NAAQS) with Respect to Above Tested Parameters.

-----End Report-----

**Reviewed By**  
**Dr. Rama Srivastava**  
**(Technical Manager)**



**Verified By & Authorized Signatory**  
**Mr. Neeraj Kumar Yadav**  
**(Quality Manager)**

This Report is issued under the following terms & Condition:

- Samples are not drawn by Gurukripa Enviro Care Private Limited, unless otherwise mentioned. The results relate only to the above tested sample and applicable Parameters.
- The test report in full or part shall not be used for promotional or publicity purposes without the written consent of Gurukripa Enviro Care Private Limited.
- Samples shall be stored for the period of 15 days after the date of issue of Report.